INTOLERANT RESISTANT INSENSITIVE

Sometimes, rejection is a good thing.

Our Kynar® tubing is perfect for food & beverage, medical, laboratory, chemical and other applications.

Kynar® PVDF is perfect for instances where you need resistance to things like acids, alcohol, aromatics or chloride. With heat resistance to about 180° F, our Kynar tubing is an economical alternative to FEP, PFA or PTFE.

Our Kynar tubing is made from the most flexible Kynar resin. It's easy to clean; sterilizable by gamma radiation or ozone and resists fungal growth.

Call us: 503-434-5561 or US Toll Free: 888-373-9233
Visit our website: www.freelin-wade.com

Kyn	ar	R		Kynar® is a registered trademark of Arkema, Inc					
Part Number & Color Code	Packag Unit S		0.D.	I.D.	Wall	Colors	Working Pressure @ 75°F/25°C	Bend Radius	
1J-681 1A-681		Ŭ	1/8"	1/16"	.030"	(1)	300 PSI	3/16"	
1J-682 1B-682 1A-682	500'	Reel	1/4"	.170"	.040"	(1 0):	165 PSI	3/4"	
1J-683 1A-683		ŭ	3/8"	1/4"	.062"	(10)	165 PSI	1-1/4"	
1J-684 1A-684 1AA-684	250'	Reel	1/2"	3/8"	.062"	(1 (10):	130 PSI	2-1/8"	
1J-692 1B-692 1A-692	500'	Reel	6 mm	4 mm	1 mm	0 (10)	195 PSI	15.9 mm	
1J-693 1A-693		_	8 mm	6 mm	1 mm	(1 (10):	145 PSI	49 mm	
1J-695 1A-695		Ü	12 mm	10 mm	1 mm	(1 (10)	90 PSI	98 mm	

